Page 1 of 4 Tuesday, August 10, 2004

MSDS - Material Safety Data Sheet

Product Name: UX 551

MSDS	<i>No.:</i>	<i>752</i>
------	-------------	------------

I. Basic Information:						
Manufacturer: U.N.X. INCORPORATED				NFPA Fire	_	_
Address: 707 ARLINGTON BLVD.				∕ 0	X	
City, ST Zip: GREENVILLE, NC 27858				Health 1	Reastivity 0	
Emergency Contact: CHEMTEL						
Emergency Telephone Number: 800-255-3924						
Contact: AMENDT; WILSON				Specie		
Information Telephone Number: 252-756-8616				1 Health		
Last Update: 06/27/2002 Expiration Date:				0 Flamma	ability	
Chemical State: X Liquid Gas	Solid			0 Reacti	vity	
Chemical Type: Pure X Mixture				C Pers. F	Protection	

II. Ingredients:						
Trade Secret $(N/D = Not Disclosed)$						
	El	IS IA	RC SA 31		ACGIH	Other
04011 01 1 11			ı •:	00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0
CAS No. Chemical Name	% Range	NTP	SUB Z	PEL	TLV	Limits
CAS No. Chemical Name 112345 2-Butoxyethoxy-2-ethanol	% Range 0-5	NTP	SUB Z	PEL 35ppm	TLV	Limits
		NTP	SUB Z		TLV	Limits
112345 2-Butoxyethoxy-2-ethanol	0-5	NTP	SUB Z		TLV	Limits
112345 2-Butoxyethoxy-2-ethanol TradeSecret PSRN57948000-5003P	0-5 0-5	NTP ,	SUB Z		TLV 10mg/m3	
112345 2-Butoxyethoxy-2-ethanol TradeSecret PSRN57948000-5003P TradeSecret PSRN57948000-5058P	0-5 0-5 0-5	NTP	SUB Z			
2-Butoxyethoxy-2-ethanol TradeSecret PSRN57948000-5003P TradeSecret PSRN57948000-5058P 25155300 Sodium dodecylbenzenesulfonate	0-5 0-5 0-5 0-5	NTP	SUB Z			
112345 2-Butoxyethoxy-2-ethanol TradeSecret PSRN57948000-5003P TradeSecret PSRN57948000-5058P 25155300 Sodium dodecylbenzenesulfonate 7732185 Water	0-5 0-5 0-5 0-5	NTP	SUB Z			
2-Butoxyethoxy-2-ethanol TradeSecret PSRN57948000-5003P TradeSecret PSRN57948000-5058P 25155300 Sodium dodecylbenzenesulfonate 7732185 Water III. Hazardous Identification:	0-5 0-5 0-5 0-5	NTP				
2-Butoxyethoxy-2-ethanol TradeSecret PSRN57948000-5003P TradeSecret PSRN57948000-5058P 25155300 Sodium dodecylbenzenesulfonate 7732185 Water III. Hazardous Identification: Hazard Category:	0-5 0-5 0-5 0-5 75-85	NTP		35ppm		3
2-Butoxyethoxy-2-ethanol TradeSecret PSRN57948000-5003P TradeSecret PSRN57948000-5058P 25155300 Sodium dodecylbenzenesulfonate 7732185 Water III. Hazardous Identification: Hazard Category: Acute Chronic Hazardous Identification:	0-5 0-5 0-5 0-5 75-85	NTP		35ppm		3
2-Butoxyethoxy-2-ethanol TradeSecret PSRN57948000-5003P TradeSecret PSRN57948000-5058P 25155300 Sodium dodecylbenzenesulfonate 7732185 Water III. Hazardous Identification: Hazard Category: Acute Chronic	0-5 0-5 0-5 0-5 75-85	NTP		35ppm		3
2-Butoxyethoxy-2-ethanol TradeSecret PSRN57948000-5003P TradeSecret PSRN57948000-5058P 25155300 Sodium dodecylbenzenesulfonate 7732185 Water III. Hazardous Identification: Hazard Category: Acute Chronic Hazardous Identification:	0-5 0-5 0-5 0-5 75-85	NTP		35ppm		3
2-Butoxyethoxy-2-ethanol TradeSecret PSRN57948000-5003P TradeSecret PSRN57948000-5058P 25155300 Sodium dodecylbenzenesulfonate 7732185 Water III. Hazardous Identification: Hazard Category: Acute Chronic Hazardous Identification: Hazardous Identification:	0-5 0-5 0-5 0-5 75-85	NTP		35ppm		3

INHALATION, CAN IRRITATE NOSE, THROAT, AND LUNGS. SKIN CONTACT, CAN IRRITATE OR CHAP SKIN. INGESTION, WILL CAUSE GASTRIC DISTRESS, VOMITING AND DIARRHEA.

Signs and Symptoms:

PRODUCT CAN IRRITATE SKIN. EYE CONTACT CAN CAUSE BURNING AND EXTREME IRRITATION.

Page 2 of 4 Tuesday, August 10, 2004

MSDS - Material Safety Data Sheet

Product Name: UX 551

MSDS No.: 752

Medical Conditions Generally Aggravated by Exposure:

Emergency and First Aid Procedures:

FOR SKIN, FLUSH THOROUGHLY WITH SOAP AND WATER.
FOR EYES, FLUSH WITH WARM WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN.
IF INGESTED, DRINK LARGE VOLUMES OF WATER FOLLOWED BY MILK THEN INDUCE VOMITING. CALL PHYSICIAN.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: N/A Lower Explosive Limit: N/A Upper Explosive Limit: N/A

F.P. Method: N/A

Fire Extinguishing Media: NON-FLAMMABLE/NON-COMBUSTIBLE

Special Fire Fighting Procedures:

USE NIOSH/MSHA APPROVED SELF CONTAINED BREATHING APPARATUS WHERE PRODUCT IS INVOLVED IN FIRE.

Unusual Fire and Explosion:

AVOID CONTACT WITH ACIDS AND LAUNDRY COMPOUNDS. STRONG DECOMPOSITION CAN RESULT.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

FOR A SMALL SPILL, IMMEDIATELY HOSE DOWN WITH COOL WATER AND DISPOSE TO DRAIN. FOR A LARGE SPILL, DIKE, COLLECT AND CONTACT LOCAL AUTHORITIES ABOUT DISPOSAL.

VII. Handling and Storage:

Precautions to be Taken:

STORE IN A COOL DRY PLACE. KEEP CONTAINER CLOSED.

Other Precautions:

AVOID MIXING WITH OTHER LAUNDRY CHEMICALS.

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

AVOID BREATHING MIST. IF EXPOSURE IS LIKELY, USE FILTER OR PROTECTIVE RESPIRATOR. MECHANICAL VENTILATION IS ACCEPTABLE.

Personal Protective Equipment:

RUBBER GLOVES SHOULD BE WORN. SAFETY GOGGLES SHOULD BE WORN.

OTHER PROTECTIVE MEASURES: HAVE AN EYE BATH AND SAFETY SHOWER CLOSE BY. IF POTENTIAL FOR SKIN CONTACT, HAVE AN ACID HAND WASH NEAR BY (ie. VINEGAR SOLUTION.).

WORK HYGIENIC PRACTICES: WASH HANDS, CHANGE OUT OF CLOTHES AS SOON AS POSSIBLE. WASH CLOTHES. SHOWER OR BATHE AS SOON AS POSSIBLE.

Page 3 of 4 Tuesday, August 10, 2004

MSDS - Material Safety Data Sheet

Product Name: UX 551

MSDS No.: 752

IX. Physical and Chemical Properties:

Boiling Point: 101°C Melting Point: NO DATA

Evaporation Rate (Butyl Acetate = 1): NO DATA Vapor Pressure (mm Hg.): NO DATA

Specific Gravity (H20 = 1): 1.01600 Vapor Density (AIR = 1): >1

Solubility In Water: EXCELLENT Appearance and Odor: BLUE LIQUID, FRESH FRAGRANCE

Other Information: THIS PRODUCT CONTAINS NO PHOSPHATES

MULTI-SURFACE CLEANER

X. Stability and Reactivity:

Stability:

VERY STABLE

Incompatibility (Materials to Avoid):

AVOID CONTACT WITH BLEACHES AND LAUNDRY COMPOUNDS. STRONG DECOMPOSITION REACTION CAN RESULT.

Decomposition/By Products:

AVOID CONTACT WITH ALUMINUM, ZINC, MAGNESIUM, COPPER. EXPLOSIVE HYDROGEN GAS CAN BE RELEASED.

Hazardous Polymerization:

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

XI. Toxicological Information:

CONTACT U.N.X. INCORPORATED

XII. Ecological Information:

CONTACT U.N.X. INCORPORATED

XIII. Disposal Considerations:

FOR A SMALL SPILL, IMMEDIATELY HOSE DOWN WITH COOL WATER AND DISPOSE TO DRAIN. FOR A LARGE SPILL, DIKE, COLLECT AND CONTACT LOCAL AUTHORITIES ABOUT DISPOSAL.

XIV. Transport Information:

NOT DOT REGULATED

XV. Regulatory Information:

UNLESS OTHERWISE NOTED, NO COMPONENTS ARE SARA TITLE 3 SECTION 313 40 CFR LISTED MATERIALS. THE INGREDIENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. THIS PRODUCT IS NOT MADE WITH VOC'S THAT COULD CAUSE DAMAGE TO THE OZONE LAYER.

XVI. Other Information:

Page 4 of 4 Tuesday, August 10, 2004

MSDS - Material Safety Data Sheet

Product Name: UX 551

MSDS No.: 752