

SECTION 1: Identification

Product identifier: All Purpose Cleaner

Other means of identification: General Purpose Cleaner

SDS number: 1383

Recommended use: General purpose cleaner

Recommended restrictions: Not for personal care

Manufacturer/Importer/Supplier/Distributor information

Company name: UNX Industries, Inc.

Address: 707 Arlington Blvd
Greenville, NC 27858

Telephone: Office hour (Mon-Fri)
8:00a.m. – 4:00p.m. (Eastern Time)
OFFICE NUMBER: 252-756-8616

E-mail: unx@unxinc.com

Emergency phone number: CHEMTEL (800) 255-3924 (24 HOURS)

SECTION 2: Hazard(s) identification

Classification of the substance or mixture:

Physical hazards Not classified

Health hazards

Acute toxicity; dermal/inhalation/oral: Category 5

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2A

Label elements:



Signal word: Warning

Hazard statements

H303+H313+H333 May be harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

SECTION 2: Hazard(s) identification (continued)

Precautionary statements

Prevention

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing mist / spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this products.
P280	Wear eye protection.

Response:

P301+312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

Storage:

Disposal:

P501	Dispose of contents/container in accordance with local/ regional/ national/ international Regulations.
------	--

Hazard(s) not otherwise

Classified (HNOC) Not classified

SECTION 3: Composition/information on ingredients

Substance/Mixture

Chemical name	CAS Number	Concentration (%)
Water	7732-18-5	75-90
Alkyl polyglycosides	132778-08-6	5-15
2-(2-Butoxyethoxy)ethanol	112-34-5	1-5
Alcohols, C12-16, ethoxylated	68551-12-2	1-5

SECTION 4: First-aid measures

Non-emergency personnel

General advice: safely remove victims from the danger zone. Provide emergency services with this safety data sheet.

Eye contact: rinse with plenty of water for at least 15 minutes. If irritation persists, get medical attention.

Skin contact: rinse with plenty of water.

Ingestion: rinse mouth with plenty of water, do not induce vomiting. Get medical attention if symptoms occur.

Inhalation: bring victim out to fresh air. If the person is unconscious or symptoms occur, get medical attention immediately.

Emergency personnel

Personal Protection: refer to Section 8 for specific personal protective equipment

Notes to physician: the concentration and length of exposure impacts the severity of the symptoms.

Most important symptoms/effects, acute and delayed:

Refer to Section 2 for hazards and Section 11 for information on health effects and symptoms. Treat symptomatically.

Indication of immediate medical attention and special treatment needed, if necessary: provide general supportive measures. Eye contact, inhalation, and ingestion cases should be treated immediately. Have procedures and facilities in place to treat these cases of exposure.

SECTION 5: Fire-fighting measures

Suitable extinguishing media: use water or foam at the source of the fire. Foam is preferred as water may cause the corrosive product to splatter. Water spray on large fires may be ineffective but may be used to keep fire-exposed containers cool.

Unsuitable extinguishing media: do not use a water jet as this can spread the fire. Do not use carbon dioxide in enclosed spaces with insufficient ventilation.

Specific hazards arising from the chemical: burning releases oxygen, sodium ions, silicic acid and oxides of phosphorus/sodium. Do not breath in the fumes caused by the fire. Move container of the product that are not exposed to the fire if able to do so safely. Containers can melt from the heat and the combustible material may provide fuel to the fire. Withdraw immediately in cases of rising sound from venting safety device or discoloration of tanks. For massive fire in cargo, use unmanned hose holder or monitor nozzles. If not, withdraw and let fire burn out.

Special protective equipment for fire fighters: wear full protective airtight garment and NIOSH approved self-contained breathing apparatus with independent air-supply. Fight the fire in early stages if safe to do so. Provide sufficient ventilation and be aware of hydrogen generation upon reactions with some metals. Do not allow contaminated extinguishing water to enter the soil, ground-water or surface waters.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: ventilate and restrict access to the area of leak or spill. Have emergency procedures in place for treating incidents, evacuation and informing the emergency services. Refer to Section 8 for personal protective equipment.

Environment precautions: clean up spills/leaks immediately and prevent it from spreading. Large or uncontrolled spills to water systems must be reported to appropriate regulatory body.

Methods and materials for containment and cleaning up: absorb spills with non-combustible absorbent. Dam and absorb with sand, earth or other inert material for large spills/leaks. Collect spillage in containers with labeled contents and dispose according to local regulations. Flush the contaminated area with lots of water.

SECTION 7: Handling and storage

Precautions for safe handling: Refer to Section 8 for personal protective equipment. Do not eat, drink or smoke when handling the product. Avoid skin and eye contact. Follow general hygiene routines after working with the product. When handling large amounts of the product, be sure to have a safety shower nearby.

Conditions for safe storage: store in a suitable, closed and labeled container upright at temperature between 40°F and 100°F in a well-ventilated area. Opened containers must be properly resealed to avoid spillage. Store away from heat, direct sunlight and moisture. It is preferred to keep the container on sump pallets. Store in high-density polyethylene containers. See Section 10 for incompatible materials.

SECTION 8: Exposure control/personal protection

Control Parameters / Occupational exposure limits:
U.S. ACGIH Threshold Limit Values

Chemical Name	CAS-No.	Type	Values
2-(2-Butoxyethoxy)ethanol	112-34-5	TWA	10 ppm
		STEL	1 ppm

Appropriate engineering controls/ventilation system:

A general exhaust system is recommended to keep employee exposures below the limits. An additional local exhaust system is preferred in order to control emissions at its source.

Personal Protective Equipment (PPE)

Respiratory Protection: A NIOSH approved full-face respirator with high efficiency dust/mist filter is recommended. For emergencies or when dealing with unknown exposure measures, use a full-face piece positive-pressure, air-supplied respirator fitted with a suitable cartridge for the chemical. Consult respirator supplier regarding the compatibility of the equipment. **CAUTION:** Air purifying respirators do not protect the user in oxygen deficient atmospheres, use an air supply system.

Hand Protection: impervious gloves, with suitable protection for workplace, are recommended any time the product is being handled. Consult glove supplier for details on suitability, breakthrough time and permeability. Frequent change of the glove is advisable. Be aware that latex gloves can trigger an allergic reaction to sensitive individuals.

SECTION 8: Exposure control/personal protection (Continued)

Eye Protection: use chemical safety goggles and/or full-face shield when handling the product.

Skin/Body Protection: wear impervious protective clothing, boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Take additional precaution if handling amounts past the exposure limits.

Thermal Hazard: wear thermal protective clothing when necessary

General Hygiene: change out of clothes, thoroughly wash your hands and clothes, and shower/bathe as soon as possible. Do not eat, drink, smoke or use the bathroom while handling the product.

Other Protective Measures: have an eye wash and safety shower station close by. Routinely wash all equipment to remove contaminants.

SECTION 9: Physical and chemical properties

Appearance:	Liquid
Colour:	Red liquid
Odour:	Citrus fragrance
Odour Threshold:	No data available
pH:	7 ± 0.5
Melting point/range:	No data available
Boiling point/range:	No data available
Flash point:	No data available
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability of explosive limits:	No data available
Vapour pressure (mm Hg):	No data available
Vapour density (Air=1):	No data available
Relative density:	No data available
Solubility(ies):	Excellent in warm water
Partition coefficient (n-octanol/water):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, dynamic:	25

Other Information: This product contains no phosphates.

SECTION 10: Stability and reactivity

Reactivity: No hazardous reactions are known under normal storage conditions and if handled according to standard industrial practices.

Chemical Stability: Stable if under normal storage conditions and handled according to standard industrial practices.

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: No hazardous conditions are known.

Incompatible materials: None known based on provided information.

Hazardous Decomposition Products: None known based on provided information.

SECTION 11: Toxicological information

Acute toxicity: Toxicological testing has not been conducted with this material. The toxicology information listed below us based on the components of this material.

Category 5- Oral, Dermal, and Inhalation: May be harmful if swallowed, in contact with skin or if inhaled.

Alcohols, C12-16, ethoxylated – Acute Toxicity Estimate (ATE)	
Oral LD ₅₀ > 2,000 mg/kg (Rat)	

Alkyl Polyglycosides – Acute Toxicity Estimate (ATE)			
Oral LD ₅₀ > 5,000 mg/kg (Rat)	Dermal LD ₅₀ > 5,000 mg/kg	Inhalation: Vapor > 20 mg/L	Inhalation: Mist > 5 mg/L

2-Butoxyethoxy-2-ethanol – Acute Toxicity Estimate (ATE)	
Oral LD ₅₀ 7,291 mg/kg (Rat)	Dermal LD ₅₀ 2,764 mg/kg

Skin Corrosion/ irritation: Category 2: Causes skin irritation.

Serious eye damage/irritation: Category 2A: Causes serious eye irritation.

Respiratory or skin sensitization: Classification not possible.

Germ cell mutagenicity: Classification not possible.

Carcinogenicity: Classification not possible **Reproductive toxicity:** Classification not possible.

Specific Target Organ Toxicity - Single Exposure: Classification not possible.

Specific Target Organ Toxicity - Repeated Exposure: Classification not possible.

Aspiration hazard: Classification not possible.

SECTION 12: Ecological information

Toxicity: Do not allow to escape into waterways, wastewater or soil. Ecotoxicological studies of the product are not available. Please find below the data available to us from raw materials:

Aquatic ecotoxicity:

Alcohols, C12-16, ethoxylated	
Toxicity: Fish	Toxicity: Aquatic Invertebrates
LC ₅₀ Brachydanio rerio 1 – 10 mg/L, 96 h	EC ₅₀ (48 h) 0.1 – 1 mg/L

Alkyl Polyglycosides		
Toxicity: Fish	Toxicity: Aquatic Invertebrates	Toxicity: Aquatic Plants
LC ₅₀ > 1 - < 10 mg/L	EC ₅₀ (Daphnia magna) > 1 - < 10 mg/L	EC ₅₀ (algae) (72 h) > 10 - < 100 mg/L (growth rate)

2-Butoxyethoxy-2-ethanol			
Toxicity: Fish (Static Test)	Toxicity: aquatic invertebrates (Static Test)	Toxicity: algae (Static Test)	Toxicity: bacteria (Static Test)
LC ₅₀ (Lepomis macrochirus) 1,300 mg/L – 96 h	LC ₅₀ (Daphnia magna) > 100 mg/L – 48 h	LC ₅₀ (Scenedesmus subspicatus) > 100 mg/L – 96 h	LC ₅₀ (Pseudomonas putida) 1,170 mg/L – 16 h

Persistence and Degradability: No data is available on the degradability of this product.

Bioaccumulative Potential: No data available for this product.

Mobility in Soil: No data available for this product.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

General Information: Do not allow the product to contaminate any body of water. Refer to Section 8 for personal protection equipment.

Disposal Methods: Avoid unauthorized disposal. Do not dump into any body of water. Comply with federal, state/provincial and local laws/regulations. Do not reuse empty containers.

SECTION 14: Transport information

UN Number:	Not Available
UN Proper Shipping Name:	Not Applicable
Transport hazard class(es):	
DOT Hazard Class:	Not Available
DOT Subsidiary Hazard Class:	Not Available
Packing group, if available:	Not Available

SECTION 14: Transport information (Continued)

Environmental Hazards: No
Special precautions for user: Not DOT regulated.
Transport in bulk according to Annex II of MARPOL 73/78³ and the IBC Code ³: Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
The ingredients of this product are listed on the TSCA inventory.

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

SARA 302 Components/ SARA 313 Components:

SARA 302: This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4).

SARA 311/312 Tier II Hazard Ratings:

Component	CAS #	Fire Hazard	Reactivity Hazard	Pressure Hazard	Immediate Health Hazard	Chronic Health Hazard
2-(2-Butoxyethoxy)ethanol	112-34-5	No	No	No	Yes	Yes

The following components appear on one or more of the following state hazardous substance lists:

Component	CAS #	CA	FL	MA	MN	NJ	PA
2-(2-Butoxyethoxy)ethanol	112-34-5	No	No	No	No	Yes	Yes

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information including date of preparation or last revision

Chemical State: Liquid Issue Date: 10-19-2020
Chemical Type: Mixture Revision Date: -
Version #: 01

1	Health
0	Flammability
0	Physical Hazard
A	Personal Protection

To the best of our knowledge, the information contained herein is accurate. **However, neither UNX Industries, Inc. nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may represent unknown hazards and should be used within caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.