

SECTION 1: Identification

Product identifier: Bonus Low Temperature Mechanical Washer Sanitizer

Other means of identification: Sanitizer

SDS number: 196

EPA number: 7116-2

Recommended use: Sanitizer

Recommended restrictions: Not for personal care

Manufacturer/Importer/Supplier/Distributor information

Company name: UNX Industries, Inc.

Address: 707 Arlington Blvd
 Greenville, NC 27858

Telephone: Office hour (Mon-Fri)
 8:00a.m. – 4:00p.m. (Eastern Time)
 OFFICE NUMBER: 252-756-8616

E-mail: unx@unxinc.com

Emergency phone number: CHEMTEL (800) 255-3924 (24 HOURS)

SECTION 2: Hazard(s) identification

Classification of the substance or mixture:

Physical hazards Not classified

Health hazards

Skin corrosion/irritation: Category 1B

Serious eye damage/eye irritation: Category 1

Environmental hazards

Hazardous to the aquatic environment, Acute: Category 1

Hazardous to the aquatic environment, Long-term hazard: Category 1

Label elements:



Signal word: Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Toxic to aquatic life.

H410 Toxic to aquatic life with long lasting effects.

SECTION 2: Hazard(s) identification (continued)

Precautionary statements

Prevention

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P264 Wash hands, arms, face and exposed skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

- P301+330+331 IF SWALLOWED: Immediately a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.
P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364 Take off contaminated clothing and wash it before reuse.
P363 Wash contaminated clothing before reuse.
P391 Collect spillage.

Storage:

- P405 Store locked up.

Disposal:

- P501 Dispose of contents/container in accordance with local/ regional/ national/ international Regulations.

Hazard(s) not otherwise classified (HNOC) None known.

SECTION 3: Composition/information on ingredients

Substance/Mixtures

Chemical name	CAS Number	Concentration (%)
Water	7732-18-5	15-30
Sodium hypochlorite	7681-52-9	70-85

SECTION 4: First-aid measures

Description of first aid measures:

Non-emergency personnel

General advice: safely remove victims from the danger zone. Provide emergency services with this safety data sheet.

Eye contact: rinse eye with plenty of water for at least 15 minutes. Call poison control or get medical attention immediately.

SECTION 4: First-aid measures (Continued)

Skin contact: rinse immediately with plenty of water. Call poison control or get medical attention immediately. Chemical burns must be treated by a medical professional.

Ingestion: rinse mouth with plenty of water. Do not give anything by mouth to an unconscious person. Do not induce vomiting. Get medical attention immediately.

Inhalation: bring victim out to fresh air. If the person is conscious, call poison control or doctor for treatment advice. If the person is not breathing, get medical attention immediately.

Emergency personnel

Personal Protection: refer to Section 8 for specific personal protective equipment

Notes to physician: the concentration and length of exposure impacts the severity of the symptoms.

Most important symptoms/effects, acute and delayed:

Refer to Section 2 for hazards and Section 11 for information on health effects and symptoms. Treat symptomatically.

Indication of immediate medical attention and special treatment needed, if necessary: provide general supportive measures. Eye contact, inhalation, and ingestion cases should be treated immediately. Have procedures and facilities in place to treat these cases of exposure.

SECTION 5: Fire-fighting measures

Suitable extinguishing media: water fog, dry chemical powder and/or carbon dioxide. Water spray can be used to keep fire exposed containers cool.

Unsuitable extinguishing media: do not use water jet as this can spread the fire. Do not use carbon dioxide in enclosed spaces with insufficient ventilation.

Specific hazards arising from the chemical: vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. Gases hazardous to health may be formed. Product containers can melt from the heat of the fire and the combustible packaging material will fuel the fire. Do not breathe in any fumes from the fire. Withdraw immediately in cases of rising sound from venting safety device or discoloration of tanks. For massive fire in cargo, use unmanned hose holder or monitor nozzles. If not, withdraw and let fire burn out.

Special protective equipment for fire-fighters: wear full protective airtight garment and NIOSH approved self-contained breathing apparatus with independent air-supply. Fight the fire in early stages if safe to do so. Provide sufficient ventilation and be aware of hydrogen generation upon reactions with some metals. Do not allow contaminated extinguishing water to enter the soil, ground-water supply or surface waters.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: ventilate and restrict access to the area of leak or spill. Have emergency procedures in place for treating incidents, evacuation and informing the emergency services. Refer to Section 8 for personal protective equipment.

Environment precautions: clean up spills/leaks immediately and prevent it from spreading. Large or uncontrolled spills to water systems must be reported to appropriate regulatory body.

Methods and materials for containment and cleaning up: absorb spills with non-combustible absorbent. Dam and absorb with sand, earth or other inert material for large spills/leaks. Collect spillage in containers with labeled contents and dispose according to local regulations. Flush the contaminated area with lots of water.

SECTION 7: Handling and storage

Precautions for safe handling: Refer to Section 8 for personal protective equipment. Do not eat, drink, or smoke when handling the product. Avoid skin and eye contact. Follow general hygiene routines after working with the product. When handling large amounts of the product, be sure to have a safety shower nearby.

Conditions for safe storage: store in a suitable, closed and labeled container upright at temperature between 40°F and 100°F in a well-ventilated area. Opened containers must be properly resealed to avoid spillage. Store away from heat, direct sunlight and moisture. It is preferred to keep the container on sump pallets. Store in high-density polyethylene containers. See Section 10 for incompatible materials.

SECTION 8: Exposure control/personal protection

Control Parameters

Occupational exposure limits

Component	CAS #	Value	Control parameters	Basis
Sodium hypochlorite	7681-52-9	STEL	2.0 mg/m ³	USA. Workplace Environmental Exposure Levels (WEEL)

Appropriate engineering controls/ventilation system:

A general exhaust system is recommended to keep employee exposures below the limits. An additional local exhaust system is preferred in order to control emissions at its source.

Personal Protective Equipment (PPE)

Respiratory Protection: A NIOSH approved full-face respirator with high efficiency dust/mist filter is recommended. For emergencies or when dealing with unknown exposure measures, use a full-face piece positive-pressure, air-supplied respirator fitted with a suitable cartridge for the chemical. Consult respirator supplier regarding the compatibility of the equipment.

CAUTION: Air purifying respirators do not protect the user in oxygen deficient atmospheres, use an air supply system.

SECTION 8: Exposure control/personal protection (Continued)

Hand Protection: impervious gloves, with suitable protection for workplace, are recommended any time the product is being handled. Consult glove supplier for details on suitability, breakthrough time and permeability. Frequent change of the glove is advisable. Be aware that latex gloves can trigger an allergic reaction to sensitive individuals.

Eye Protection: use chemical safety goggles and/or full-face shield when handling the product.

Skin/Body Protection: wear impervious protective clothing, boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Take additional precaution if handling amounts past the exposure limits.

Thermal Hazard: wear thermal protective clothing when necessary

General Hygiene: change out of clothes, thoroughly wash your hands and clothes, and shower/bathe as soon as possible. Do not eat, drink, smoke or use the bathroom while handling the product.

Other Protective Measures: have an eye wash and safety shower station close by. Routinely wash all equipment to remove contaminants.

SECTION 9: Physical and chemical properties

Appearance:	Liquid
Colour:	Clear liquid
Odour:	Chlorine odor
Odour Threshold:	No data available
pH:	12.5 - Above
Melting point/range:	No data available
Boiling point/range:	No data available
Flash point:	No data available
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability of explosive limits:	No data available
Vapour pressure (mm Hg):	No data available
Vapour density (Air=1):	No data available
Relative density:	No data available
Solubility(ies):	Excellent in warm water
Partition coefficient (n-octanol/water):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, dynamic:	25

Other Information: This product contains no phosphates.

SECTION 10: Stability and reactivity

Reactivity: No hazardous reactions are known under normal storage conditions and if handled according to standard industrial practices.

Chemical Stability: Stable if under normal storage conditions and handled according to standard industrial practices.

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: No hazardous conditions are known.

Incompatible materials: Strong oxidizing agents, combustible materials and flammable materials.

Hazardous Decomposition Products: None are known based on provided information.

SECTION 11: Toxicological information

Acute toxicity: Toxicological testing has not been conducted with this material. The toxicology information listed below is based on the components of this material.

Acute toxicity: No data available. **Inhalation:** No data available. **Dermal:** No data available.

Skin Corrosion/irritation: Category 1B: Causes severe skin burns and eye damage.

Serious eye damage/irritation: Category 1: Causes serious eye damage.

Respiratory sensitization: No information available.

Skin sensitization: No data available.

Germ cell mutagenicity: Classification not possible.

Carcinogenicity: No product components are considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity: No data available.

Specific Target Organ Toxicity - Single Exposure: No data available.

Aspiration hazard: No data available.

SECTION 12: Ecological information

Toxicity: Do not allow to escape into waterways, wastewater or soil. Ecotoxicological studies of the product are not available. Please find below the data available to us from raw materials:

Aquatic ecotoxicity

Acute: Category 1: Very toxic to aquatic life.

Chronic: Category 1: Very toxic to aquatic life with long lasting effects.

SECTION 12: Ecological information (Continued)

Persistence and degradability: No data available.

Bioaccumulative potential: No data available for this product.

Mobility in soil: Not data available for this product.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

General Information: Do not allow the product to contaminate any body of water. Refer to Section 8 for personal protection equipment.

Disposal Methods: Avoid unauthorized disposal. Do not dump into any body of water. Comply with federal, state/provincial and local laws/regulations. Do not reuse empty containers.

SECTION 14: Transport information

UN Number:	UN 1791
UN Proper Shipping Name:	HYPOCHLORITE SOLUTION
Transport hazard class(es):	
DOT Hazard Class:	8
DOT Subsidiary Hazard Class:	Not available
Label:	CORROSIVE
Packing group, if available:	III
Environmental Hazards:	No
Special precautions for user:	Not available

Transport in bulk according to Annex II of MARPOL 73/78³ and the IBC Code ³: Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Unless otherwise noted, no components are SARA TITLE 3 SECTION 313 40 CFR listed materials. The ingredients of this product are listed on the TSCA inventory.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

SECTION 15: Regulatory information (Continued)

The following components appear on one or more of the following state hazardous substance lists:

Component	CAS #	CA	FL	MA	MN	NJ	PA
Sodium hypochlorite	7681-52-9	No	No	Yes	No	Yes	Yes

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information including date of preparation or last revision

Chemical State: Liquid
Chemical Type: Mixture

Issue Date: 10-19-2020
 Revision Date: -
 Version #: 01

3	Health
0	Flammability
0	Physical Hazard
C	Personal Protection

To the best of our knowledge, the information contained herein is accurate. **However, neither UNX Industries, Inc. nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may represent unknown hazards and should be used within caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.